POISONING (A50)

Includes: Caustic Corrosives (alkalis, acids, oxidizers), Petroleum Distillates, and Organophosphates

In the event of a release of nerve agents or organophosphates, notify dispatch to request the MHOAC order CHEMPACK.

NOTE: DO NOT INDUCE VOMITING

ALL POISONINGS	F	Е	0	Р	D
PROTECT FROM CONTAMINATION	Χ	Χ	Χ	Χ	
DECONTAMINATION					
Remove contaminated clothing.					
 If agent is dry, brush off. If agent is liquid, flush with copious amounts of water. 	X	X	Χ	X	
 If the eyes are contaminated flush with saline for at least 20 minutes. 					
ASSESSMENT	Х	Χ	Χ	Χ	
BLS AIRWAY: okay if airway patent. Support ventilation as appropriate with appropriate airway adjuncts. Observe for airway burns.	Х	Х	Х	Х	
ADVANCED AIRWAY: if GCS is < 8 and not rapidly improving, consider SGA or ETI.				Х	
PULSE OXIMETRY: apply and monitor.		Χ	Х	Х	
CAPNOGRAPHY: apply and monitor.		, ,		X	
*OXYGEN: if pulse oximetry <94% or signs of respiratory distress or hypoperfusion.	Х	X	Х	Х	
ECG MONITOR: lead placement may be delegated. Treat as indicated.				Χ	
VASCULAR ACCESS: IV/IO, rate as indicated.				X	
**ONDANSETRON: 4 mg IM, slow IV, or 4 mg Oral Disintegrating Tablet				\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
(ODT) for nausea and/or vomiting. May be repeated twice. Max dose 12 mg.				X	
CARBON MONOXIDE					
OXYGEN: 15-LPM via non-rebreather or BVM.	Х	Χ	Χ	Χ	
CPAP: as indicated.				Χ	
ORGANOPHOSPHATES					
CONSIDER ATROPINE: 2-5 mg increments IV/IO or 2 mg IM. Repeat every 5 minutes as needed to control secretions, bradycardia, bronchorrhea, and dysrhythmia.				х	
MIDAZOLAM for seizures: Do not delay for IV/IO access. Closely monitor respirations/airway and support ventilation as indicated.					
 IM – 10 mg. May repeat x 1 if seizure continues > 5 minutes. 				Х	
 IN – 10 mg. May repeat x 1 if seizure continues > 5 minutes. 					
IV/IO - 1-2 mg every 2 minutes until seizure stops or max 10 mg.					
NASOGASTRIC TUBE: suction gastric contents – only if patient has					
advanced airway and oral ingestion has occurred within 60 minutes.				X	
CAUSTIC CORROSIVES/PETROLEUM DISTILLATES					
NASOGASTRIC TUBE: suction gastric contents – only if patient has				Х	
advanced airway and oral ingestion has occurred within 60 minutes.				^	

EFFECTIVE: November 1, 2023

Provider Key: F = First Responder/EMR E = EMT O = EMT Local Optional SOP

P = Paramedic D = Base Hospital Physician Order Required

* Use oxygen with caution near any hazardous materials

**PRECAUTIONS FOR ONDANSETRON:

- Known Sensitivity to Ondansetron (Zofran) or other 5-HT-3 antagonists.
- Granisetron (Kytril)
- Dolasetron (Anzemet)
- Palonosetron (Aloxi)

CARBON MONOXIDE

- Carbon monoxide is an odorless, colorless, tasteless toxic gas. Carbon monoxide
 poisoning is easily misdiagnosed as flu-like symptoms, fatigue, or other general
 complaints. Common sources of carbon monoxide include motor vehicles, structure
 and wildland fires, gas-powered machines operating in closed spaces, improperly
 functioning wood-burning stoves, heaters, or furnaces and industrial sites. Untreated
 carbon monoxide may result in short and long-term health consequences.
- Refer to BURNS A80 and TRAUMA/TRAUMATIC SHOCK A82 as indicated

CAUSTIC CORROSIVES

- Alkalis: sodium hydroxide (caustic soda), drain cleaners, potassium hydroxide, ammonium hydroxide (fertilizers), lithium hydroxide (photographic chemicals, alkaline batteries), calcium hydroxide (lime).
- **Acids:** hydrofluoric acid (which may have a delayed onset of symptoms), sulfuric acid (battery acid), hydrochloric acid.
- Oxidizers: bleach, potassium permanganate.
- Refer to BURNS A80 and TRAUMA/TRAUMATIC SHOCK as indicated

ORGANOPHOSPHATE

- May cause bronchospasm, an increase in pulmonary and nasal secretions, constricted pupils, vomiting, diarrhea, urinary incontinence, diaphoresis, and cardiac dysrhythmias including both bradycardia and AV blocks.
- Remember the most spectacular signs by the following mnemonic: (Salivation, Lacrimation, Urination, Defecation, Gastric upset, Emesis and Miosis -SLUDGEM.)
- Other useful mnemonics are, "MUDDLES:" Miosis, Urination, Defecation,
 Diaphoresis, Lacrimation, Emesis, Salivation; and "DUMBBELS": Diarrhea,
 Urination, Miosis/muscle weakness, Bronchorrhea, Bradycardia, Emesis,
 Lacrimation, Salivation/sweating.

EFFECTIVE: November 1, 2023

Provider Key: F = First Responder/EMR

P = Paramedic

E = EMT O = EMT Local Optional SOP D = Base Hospital Physician Order Required